ALWAYS ON YOUR WAY

Xiamen King Long United Automotive Industry Co.,Ltd.
AddNo.9 King Long Road, Jimel, Xiamen 361023, Fujian, China
Tel: +86-592-6370892 Fax: +86-592-6370995 Email: export@mail.king-iong.com.cm





* Appearance

As the classical works of KING LONG 12m type, XMQ6127 has inherited the excellent quality of KING LONG 12m coach, passing the authentication of European Union successfully and achieving good market in Germany, Italy, France, Britain, Switzerland and Hungary with its vigorous and firm appearance, brief and clear trim, mature and reliable chassis. Over the past three years, the export volume has reached 700 units. XMQ6127 holds the concept of "subtle and prefessional in manufacture" and takes the actual road conditions, weather, fuel and other practical factors in using environment into account, carrying out overall optimization on the power train of the chassis as well as the suspension system, improving the reliability and conflictableness to a large extent. The noise reduction system of the whole coach can reduce the inside noise effectively and create a comfortable trip. Its brief design style, environment–friendly materials of trim and humanistic detail design will give you comfortable enjoys.





>> Large size of front glass gives the driver a wide view



>> Hale rear cover cooperates with the fore cover




The baggage cabin with the maximum capa up to 8.1 m³ can hold big luggages easily



















├ Driving area

Large size of front glass gives the driver a wide view to know the road conditions clearly. The integrated instrument desk has uniform distribution of buttons, which makes the driver operate easily. Luxurious shock absorption adjustable driver seat can relieve driver's fatigue. Improved square air outlet makes even exhaust, with good effect in defrosting. The three-flexible shaft joy stick can guarantee the accurate shift so as to guarantee the safety in driving.





TECHNICAL SPECIFICATIONS

DIMENSIONS		S
Overall length(mm)	12000	Ty
Overall width(mm)	2550	E
Overall height(mm)	3760	_
Wheelbase(mm)	6000	T
Internal height(mm)	2010	T
		S
CAPACITY		
Seating arrangement	51+1+1+WC	V
Luggage space(m³)	8,1 (without WC)	D
Fuel tank capacity(L)	350L	Si
Batteries(V/Ah)	12/200	
************		S
ENGINE		D
Brand	CUMMINS	P
Model	ISL8.9E5 400	
Emission standard	Euro V	Α
Number of cylinders	6	E
Displacement(ml)	8900	
Max. Output KW(PS)	294(400)	A
Max.Torque(N.m/rpm)	1700/1300	T
TRANSMISSION & CL	UTCH	Н
	ZF 6S1901 manual transmission + SACHS clutch	T
Brand & Type	ZF 6HP-604C auto transmission	
	ZF astronic transmission	TV.
		T
STEERING		
Brand	ZF	C
Туре	Integral type hydraulic power steering gear	E
		S
BRAKES		
Type	ABS, pneumatic double-circuit service brake, energy storage spring for parking brake	_

Dong Feng or ZF, disc brake Dong Feng or ZF, disc brake

SUSPENSION	75 d slobar suprember
Гуре	ZF 6-airbag suspension WARCO
ECAS	WABCO
TYRES	
Туре	MICHELIN tubeless Tyre
Size	295/80R22.5
WINDOW & DOO	R
Doors	Fron & middle out-swing aluminum door
Side Windows	Double colored vacuum glasses
SEATS	
Driver	Adjustable damping suspension driver seat, 3 point safety belt
Passenger	KING LONG passenger seats / FAINSA Gala
AV EQUIPMENT	
Equipment	Single DVD with Radio,15" LCD TV (front),Two units 15" foldable LCD TV (middle)
AIR CONDITIONE	R
Туре	A/C Roof Mounted, dependent
HEATER	
Туре	WEBASTO heating
MIRROR	
Туре	Electric Rear View Mirror with Defroster